



Board Meeting  
September 19, 2007

LINDA S. ADAMS  
SECRETARY FOR  
ENVIRONMENTAL PROTECTION

Agenda Item 11  
Attachment 2a



ARNOLD SCHWARZENEGGER  
GOVERNOR

# CALIFORNIA INTEGRATED WASTE MANAGEMENT BOARD

1001 I STREET, SACRAMENTO, CALIFORNIA 95814 • P.O. BOX 4025, SACRAMENTO, CALIFORNIA 95812-4025  
(916) 341-6000 • WWW.CIWMB.CA.GOV

MARGO REID BROWN  
CHAIR  
MBROWN@CIWMB.CA.GOV  
(916) 341-6051

WESLEY CHESBRO  
WCHESBRO@CIWMB.CA.GOV  
(916) 341-6039

JEFFREY DANZINGER  
JDANZINGER@CIWMB.CA.GOV  
(916) 341-6024

ROSALIE MULÉ  
RMULE@CIWMB.CA.GOV  
(916) 341-6016

CHERYL PEACE  
CPEACE@CIWMB.CA.GOV  
(916) 341-6010

GARY PETERSEN  
GPETERSEN@CIWMB.CA.GOV  
(916) 341-6035

September 6, 2007

The Honorable Mayor Marshall Holloway  
100 W. California Avenue  
Ridgecrest, CA 93555

**RE: Correction of Public Hearing Date to Issue the City of Ridgecrest a Compliance Order for Failure to Adequately Implement its Source Reduction and Recycling Element**

Dear Mayor Holloway:

In our August 6, 2007, notice of the California Integrated Waste Management Board's (Board) intent to consider issuing the City of Ridgecrest a Compliance Order, we indicated the Board meeting would be held on September 18, 2007, starting at 10:00 a.m. We would like to clarify that the meeting date and time has been changed to **September 19, 2007, starting at 9:30 a.m.** The Permitting and Compliance Committee meeting date and time previously noticed is unchanged and is scheduled for September 10, 2007, starting at 1:30 p.m.

Based on our discussions with your staff it is our understanding that James McRea, the City of Ridgecrest's Public Services Director, will be present to represent the City and address any questions the Board may have. Should you have any questions regarding the date change please don't hesitate to contact me directly at (916) 341-6203.

Sincerely,

Trevor O'Shaughnessy  
Jurisdiction Compliance and Audit Section

cc: James McRea, Public Services Director; City of Ridgecrest



INTEGRATED  
WASTE  
MANAGEMENT  
BOARD

